


## 订货信息



### 产品名称

### 长度

### 简称

### 订购号

ES592

ES592 接口模块 (1xETK, 2xCAN, 2xLIN, 2xEthernet)

ES592.1

F-00K-106-452

包括CBP120-2电源电缆和CBE-3以太网PC连接电缆

ES592的可选择附件


### A - 电源

供电电缆, Lemo 1B FGJ - Banana (2mc-2mc), 2 m

2.00 m  
6.56 ft

CBP120-2

F-00K-102-584




供电电缆, Lemo 1B FGJ - Safety Banana (2mc-2mc), 2 m

2.00 m  
6.56 ft

CBP1205-2

F-00K-110-023



## B - 以太网与PC或者ES51x模块连接

以太网PC连接电缆, Lemo 1B FGG - RJ45  
(8mc-8mc), 3 m      3.00 m      CBE100-3      F-00K-102-559  
9.84 ft



以太网PC连接电缆, Lemo 1B FGG - RJ45  
(8mc-8mc), 8 m      8.00 m      CBE100-8      F-00K-102-571  
26.25 ft




## C - CAN 连接


CAN 接口电缆, Lemo 1B FGC - 2xDSUB  
(8mc-9fc+9mc), 2 m      2.00 m      K106      F-00K-001-271  
6.56 ft



CAN Y型接口电缆, Lemo 1B FGC - Lemo 0S  
PCA - LEMO 0S FFA (8mc-2fc+2mc), 2 m      2.00 m      K107      F-00K-001-272  
6.56 ft




CAN 接口电缆, OBDII J1962 - Lemo 1B FGC  
(16mc-8mc), 2m5      2.50 m      CBAC150-2m5      F-00K-104-159  
8.20 ft



CAN 120 Ω 终端电阻, 2xDSUB (9fc+9mc)

CBCX1311-0

F-00K-103-786




CAN 接口电缆, Lemo 1B FGC - Banana (8mc - 2mc), 1m5

1.50 m  
4.92 ft

CBAC160.1-1m5

F-00K-106-116




CAN接口线缆, DSUB - DSUB (9fc-9mc), 2 m

2.00 m  
6.56 ft

CBCX130-2

F-00K-103-784




### C - CAN / LIN / FlexRay 连接

CAN、FlexRay和LIN接口Y-线缆, Lemo 1B FGC - 2xDSUB (8mc-9fc+ 9mc), 2 m

2.00 m  
6.56 ft

CBCF100.1-2


F-00K-106-893



## D - ETK 连接

---

ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 3 m	3.00 m 9.84 ft	CBM150-3	F-00K-102-556
---	-------------------	----------	---------------



---

ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 5 m	5.00 m 16.40 ft	CBM150-5	F-00K-102-557
---	--------------------	----------	---------------



---

ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 10 m	10.00 m 32.81 ft	CBM150-10	F-00K-102-553
--	---------------------	-----------	---------------



## E - 以太网与XETK或者ES910模块连接

---

以太网连接电缆 1 GBit/s, Lemo 1B FGE - Lemo 1B FGE (10mc- 10mc), 3 m	3.00 m 9.84 ft	CBE230-3	F-00K-105-757
---	-------------------	----------	---------------



---

以太网连接电缆 1 GBit/s, Lemo 1B FGE - Lemo 1B FGE (10mc- 10mc), 8 m	8.00 m 26.25 ft	CBE230-8	F-00K-105-758
---	--------------------	----------	---------------



## F - 以太网与XETK或者ES910模块连接


---

适配器电缆以太网连接1 GBit/s to 100 MBit/s, Lemo 1B PHE - Lemo 1B FGF (10fc-8mc), 0m5	0.50 m 1.64 ft	CBAE330-0m5	F-00K-105-759
---	-------------------	-------------	---------------




## G - 以太网与ES4xx或者ES63x模块连接

以太网PC连接电缆, 高度柔韧, Lemo 1B FGF 0.50 m CBE401.1-0m5 F-00K-106-128  
 - Lemo 1B FGL (8mc-8fc), 0m5 1.64 ft




以太网PC连接电缆, Lemo 1B FGF - Lemo 1B 3.00 m CBE400.2-3 F-00K-104-920  
 FGL (8mc-8fc), 3 m 9.84 ft




## G - 电源或者以太网与ES4xx or ES63x模块的连接

以太网连接和电源线, Lemo 1B FGF - Lemo 1B 3.00 m CBEP425.1-3 F-00K-105-972  
 FGL - Banana (8mc-8fc+2mc), 3 m 9.84 ft

以太网连接和电源线, Lemo 1B FGF - Lemo 1B 3.00 m CBEP4255.1-3 F-00K-110-029  
 FGL - Safety Banana (8mc-8fc+2mc), 3 m 9.84 ft




以太网连接和电源线, Lemo 1B FGF - Lemo 1B 3.00 m CBEP420.1-3 F-00K-105-292  
 FGL - Banana (8mc-8fc+2mc), 3 m 9.84 ft



---

以太网连接和电源线, Lemo 1B FGF - Lemo 1B 3.00 m  
FGL - Safety Banana (8mc-8fc+2mc), 3 m 9.84 ft CBEP4205.1-3 F-00K-110-041



#### H - 以太网与ES520、ES59x、ES600以及ES6xx模块连接

---


以太网连接和供电电缆, Lemo 1B FGF - Lemo 0.45 m  
1B FGD (8mc-8mc), 0m45 1.48 ft CBE130-0m45 F-00K-102-748



以太网连接和电源线, Lemo 1B FGF - Lemo 1B 3.00 m  
FGD (8mc-8mc), 3 m 9.84 ft CBE130-3 F-00K-102-587



以太网连接和带角连接器的供电电缆, Lemo 0.45 m  
1B FMF - Lemo 1B FMD (8mc-8mc), 0m45 1.48 ft CBE140-0m45 F-00K-104-153



---

我们可根据您的规格定制电缆。如您需要更多关于定制电缆的信息，请联系您所在地区的ETAS销售代表。

