


## 订货信息



### 产品名称

### 长度

### 简称

### 订购号

ES595 接口模块

ES595.1 接口模块 (1xETK, 2xCAN, 2xLIN, 2xFlexRay, 1xEthernet)

ES595.1

F-00K-106-866

包括CBP120-2电源电缆和CBE-3以太网PC连接电缆

ES595 的可选择附件


### A - 电源

供电电缆, Lemo 1B FGJ - Banana (2mc-2mc), 2 m

2.00 m  
6.56 ft

CBP120-2

F-00K-102-584




供电电缆, Lemo 1B FGJ - Safety Banana (2mc-2mc), 2 m

2.00 m  
6.56 ft

CBP1205-2

F-00K-110-023



## B - 以太网与PC或者ES51x模块连接

以太网PC连接电缆, Lemo 1B FGG - RJ45  
(8mc-8mc), 3 m      3.00 m      CBE100-3      F-00K-102-559  
9.84 ft



以太网PC连接电缆, Lemo 1B FGG - RJ45  
(8mc-8mc), 8 m      8.00 m      CBE100-8      F-00K-102-571  
26.25 ft




## C - CAN 连接


CAN 接口电缆, Lemo 1B FGC - 2xDSUB  
(8mc-9fc+9mc), 2 m      2.00 m      K106      F-00K-001-271  
6.56 ft



CAN Y型接口电缆, Lemo 1B FGC - Lemo 0S  
PCA - LEMO 0S FFA (8mc-2fc+2mc), 2 m      2.00 m      K107      F-00K-001-272  
6.56 ft




CAN 接口电缆, OBDII J1962 - Lemo 1B FGC  
(16mc-8mc), 2m5      2.50 m      CBAC150-2m5      F-00K-104-159  
8.20 ft



CAN 120 Ω 终端电阻, 2xDSUB (9fc+9mc)

CBCX131.1-0

F-00K-103-786




CAN 接口电缆, Lemo 1B FGC - Banana (8mc  
- 2mc), 1m5

1.50 m  
4.92 ft

CBAC160.1-1m5

F-00K-106-116




CAN接口线缆, DSUB - DSUB (9fc-9mc), 2  
m

2.00 m  
6.56 ft

CBCX130-2

F-00K-103-784




### C - CAN / LIN / FlexRay 连接

CAN、FlexRay和LIN接口Y-线缆, Lemo 1B FGC  
- 2xDSUB (8mc-9fc+ 9mc), 2 m

2.00 m  
6.56 ft

CBCF100.1-2

F-00K-106-893




## C - FlexRay 连接

FlexRay终端电阻100Ω, 2xDSUB (9fc-9mc)

CBFX1311-0

F-00K-104-689




## D - ETK 连接

ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 3 m

3.00 m  
9.84 ft

CBM150-3

F-00K-102-556



ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 5 m

5.00 m  
16.40 ft

CBM150-5

F-00K-102-557



ETK 接口电缆 100 Mbit/s, Lemo 1B FFG - Lemo 1B FFG (4mc-4mc), 10 m

10.00 m  
32.81 ft

CBM150-10

F-00K-102-553



## E - 以太网与XETK或者ES910模块连接

以太网连接电缆 1 GBit/s, Lemo 1B FGE - Lemo 1B FGE (10mc-10mc), 3 m

3.00 m  
9.84 ft

CBE230-3

F-00K-105-757



以太网连接电缆 1 GBit/s, Lemo 1B FGE - Lemo 1B FGE (10mc-10mc), 8 m

8.00 m  
26.25 ft

CBE230-8

F-00K-105-758



### F - 以太网与XETK或者ES910模块连接

适配器电缆以太网连接1 GBit/s to 100 MBit/s, Lemo 1B PHE - Lemo 1B FGF (10fc-8mc), 0m5


0.50 m	CBAE330-0m5	F-00K-105-759
1.64 ft		



### G - 以太网与ES4xx或者ES63x模块连接

以太网PC连接电缆, 高度柔韧, Lemo 1B FGF - Lemo 1B FGL (8mc-8fc), 0m5

0.50 m	CBE4011-0m5	F-00K-106-128
1.64 ft		



以太网PC连接电缆, Lemo 1B FGF - Lemo 1B FGL (8mc-8fc), 3 m

3.00 m	CBE400.2-3	F-00K-104-920
9.84 ft		




### G - 电源或者以太网与ES4xx or ES63x模块的连接

以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Banana (8mc-8fc+2mc), 3 m


3.00 m	CBEP425.1-3	F-00K-105-972
9.84 ft		

以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Safety Banana (8mc-8fc+2mc), 3 m


3.00 m	CBEP425.1-3	F-00K-110-029
9.84 ft		



以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Banana (8mc-8fc+2mc), 3 m 3.00 m 9.84 ft CBEP420.1-3 F-00K-105-292



以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGL - Safety Banana (8mc-8fc+2mc), 3 m 3.00 m 9.84 ft CBEP4205.1-3 F-00K-110-041



#### H - 以太网与ES520、ES59x、ES600以及ES6xx模块连接

以太网连接和供电电缆, Lemo 1B FGF - Lemo 1B FGD (8mc-8mc), 0m45 0.45 m 1.48 ft CBE130-0m45 F-00K-102-748



以太网连接和电源线, Lemo 1B FGF - Lemo 1B FGD (8mc-8mc), 3 m 3.00 m 9.84 ft CBE130-3 F-00K-102-587



以太网连接和带角连接器的供电电缆, Lemo 1B FMF - Lemo 1B FMD (8mc-8mc), 0m45 0.45 m 1.48 ft CBE140-0m45 F-00K-104-153

